

#### AG Foil Europe s.r.o.

Družstevná ulica 7, 922 10 Trebatice, Slovensko T: +421 33/7720541 F: +421 33/7720543 obchod@agfoil.com

www.agfoil.com

VAT nr.: SK2020170944 | Bank details: Československá obchodná banka a. s. | IBAN: SK8575000000000211050243 | Invoice address: AG Foil Europe s.r.o., Kopčianska 3756/10, 85101, Bratislava 5, Slovakia

The company is registered in the District Court Bratislava insert 99354/B

# Thermal Transfer Ribbon - RESIN for Textile, metalized silver and gold

# AGT94 and AGT95

### Description:

Metalized thermal transfer ribbons AGT94 and AGT95 are specially recommended for the textile applications, best looking on the dark materials as our STT24 (black satin) and also possible for plastics. Requires high printing energy to provide highest level of durability. It is not recommended to washing!

Applications:

care labels

textile and clothing industry

marketing applications

industrial and outdoor applications

pharmaceutical and healthcare applications polypropylene,

#### Description:

AGT94 - metallized gold AGT95 - metalized silver

#### Recommended media:

textile applications general purpose labeling

polyester satin

nylon, polyester taffeta

plastic labels

## Technical specifications:

Flat head Head type Film Thickness  $5,7 \, \mu m \pm 0,5 \, \mu m$ 

Total ribbon thickness  $9 \, \mu m \pm 0.5 \, \mu m$ Print speed 100mm/s

Melting point not recommended Washing resistance

Storage dry location

Extinguishing media water, foam, dry, chemical, CO2

Typical compliance: Reach-SVHC Free, RoHS, Halogen Free, TSCA, Direct Food Contact, Oeko Tex I.class

220°C

Performance: testing results on scale 1-5 (5 is the best):

> 4 - scratch resistance 4 - smudge resistance

5 - density 4 - sensitivity

5 - heat resistance

<sup>\*</sup> The information contained herein relates only to the specific material identified. The information is given according to our best knowledge and experience as of the date of this data sheet. No representation, guarantee or warranty, express or implied, is made as to the accuracy, reliability or completeness of this information. The receiver of this information is urgently requested to make his own determination as to the information's suitability and completeness for this particular application.